**Robert Wood Johnson Foundation** 

## nursing research network

**RESEARCH BRIEF** 

Title: Linking Processes of Nursing Care and Patient Safety Outcomes: An

Analysis of the Cause and Effects of Safe Practices

Author: Richard C. Lindrooth, PhD, Jayani Jayawardhana, PhD, Dennis Scanlon, PhD, and John

Welton, PhD, RN

Purpose: To identify hospital characteristics that facilitate adoption of evidenced-based practices to

improve patient safety.

• The National Quality Forum's (NQF) Safe Practices for Better Healthcare defines a set of health care practices targeted at improving patient safety.

• The Leapfrog Group began publicly reporting on hospitals' adoption of Safe Practices in 2004.

 There is an ongoing desire among policy-makers and other stakeholders in the health care industry to encourage the adoption of evidenced-based processes to improve quality and patient safety.

• Public reporting of adoption gives hospitals an incentive to adopt new processes but it is unclear whether that incentive is strong enough to have an impact, especially given that participation is voluntary.

• The researchers examined the extent to which public reporting influenced the adoption of Safe Practices by analyzing data on more than 300 hospitals throughout United States collected between 2004 and 2006.

• They conducted a multivariate analysis of the effects of hospital and market characteristics on hospitals' Safe Practice adoption scores.

 Statistical methods controlled for the potential selection bias related to voluntary reporting.

• Researchers used the composite safe practice score derived from the annual Leapfrog Survey to determine how many NQF practices hospitals adopted.

The majority of hospitals adopted Safe Practices within three years.
Hospitals in competitive markets with higher shares of private patients were

• Hospitals in competitive markets with higher shares of private patients were significantly more likely to adopt Safe Practices.

• Insufficient staffing was a barrier to adoption. Hospitals with RN staffing levels below the 25th percentile were significantly less likely to report adopting Safe Practices.

• Magnet hospitals were significantly more likely to be early adopters of Safe Practices.

Histogram of Adoption of Safe Practices, 2004-2006 (1,000=Full Adoption)

Leaves allows L. Walter, L. Lindough, B.C. 2011, "Adoption of Safe Practices at No. 1000".

The same of the same of Safe Practices at No. 1000.

The safe Practices at No.

Jayawardhana, J, Welton, J, Lindrooth, RC. 2011. "Adoption of Safe Practices at Magnet Hospitals." *Journal of Nursing Administration*, 41(9): 350-356

Lindrooth, RC, Jayawardhana, J, Scanlon, D, Welton, J. 2013. "Voluntary Public Reporting and the Diffusion of Evidence-based Best Practices." Working Paper

## Methods:

## Measures:

## Key Findings:

Charts:

References:

This research brief was produced by the Robert Wood Johnson Foundation Nursing Research Network to summarize RWJF-funded research on key issues related to the field of nursing.